





C120: the scrubbing machine fully equipped for every cleaning task

The C 120 isn't only a scrubbing machine. It represents the new Comac philosophy because it brings with it innovative technology, design, comfort and excellent performance. The C 120 is designed around the latest cleaning technologies, but bearing in mind daily cleaning tasks and therefore built to meet the needs of the user.



Cleaning contractors



Automotive



Industric



Logistics



Large-scale retailing



Transport



THE EVOLUTION OF THE RANGE

With the C 120, the unmistakable style of the C range reaches a new level of evolution to deal with every cleaning job in the logistics and industrial context and in large car parks. But it's designed to work with light dirt too, for example in large-scale retailing areas, shopping centers, stations and airports.

Equipped to enable the user to take full advantage of all Comac's technology, the C120 is an industrial scrubbing machine with a robust design and an "intelligent" core able to revolutionise the traditional idea of cleaning. It is fitted, in fact, with the most advanced safety functions so the user can concentrate completely on what really counts: cleaning.



Unique at first sight

The C 120 is synonymous with evolution and uniqueness when it comes to the new sweeping-scrubbing system as well: it consists of a pre-sweeping unit with two side brushes and two cylindrical brushes, followed by a scrubbing unit with three disc brushes. This means the C 120 is perfectly equipped to guarantee optimum performance whatever the cleaning task, even involving small solid residue.


The power to choose

The C 120 adapts to every dirt condition but, thanks to the configurations, optional features and accessories available, there is the outstanding possibility to create a "tailor-made" machine that's ideal for your own cleaning requirements.

THE CHOICE LIES IN YOUR HANDS, WITH THE TWO POSSIBLE C120 CONFIGURATIONS:



You can also choose the drive most suitable for the place where you will use the C120: the battery-powered version for working with zero emissions in indoor areas, or the Bi-Fuel version with dual petrol and LPG supply to extend the level of autonomy so you can work in large outdoor spaces as well.



Smart Working Space

Welcome on board the C120, where the work position is relaxed and comfortable.

And to make the cleaning tasks even more simple, all the smart functions of the C120 are at your complete disposal to enhance operating pleasure and comfort.


- A highly comfortable seat with armrests and a headrest, for a comfortable driving position that simplifies manoeuvres.
- **Lowered footboard** so you can easily climb onto the machine.
- Touch screen display, so all the smart functions of the Bright configuration are at your service.
- Rear view camera for the Bright configuration, so you can check the cleaning results without having to turn around.

- Ample space in the driving position.
- Smooth steering for an even more comfortable driving experience.
- Steering wheel derived from the automotive sector, designed to ensure comfort and a first class operating experience.

Lever for forward movement and reverse close to the steering wheel so you can easily select one of the 3 pre-set work speeds.

















in the details





Intelligence is simple

The marked lines of the C 120 exterior enclose next generation Comac technology. And it's all aided by the perfect ergonomics of the digital instrumentation that helps boost the driving comfort, ensuring optimum access to the necessary information.

This super-advanced scrubbing machine is thus rendered simple and easy to use, allowing you to communicate directly with the machine. All the data gathered by the C 120 are transformed into accessible information so you can control every aspect of the cleaning task.

The technologies used on the C120 continue to amaze in terms of user-friendliness too.

- Working program selector that makes the C 120 extremely easy to use, thanks to the possibility to choose the type of job to be carried out: transfer, scrubbing and drying or scrubbing only, or drying only.
- A simple, handy control near the selector is used to activate the pre-sweeping unit only when required by the specific dirt conditions.
- The moving scrubbing brush head is activated by a handy button in the Essential configuration, or via the touch screen display in the Bright configuration.
- Eco, Standard and Plus modes: the three cleaning programs of the Bright configuration that allow you to use specific amounts of water, detergent and pressure on the basis of the dirt conditions.
- No training costs, thanks to the video tutorials and the use and maintenance manual that can be seen on the touch screen display in the Bright configuration, allowing even less experienced personnel to use the C 120 in the right way.





- The C 120 design already takes into consideration its final destination at the end of its working life, with an eye to the recovery rather than disposal of those materials that can easily be recycled.
 - Thanks to the working programs, maintenance cleaning tasks can be carried out in ECO Mode to reduce the consumption of water and detergent. Furthermore, the ECO Mode function allows the noise level to be reduced, making this scrubbing machine suitable for quiet jobs while saving energy and increasing autonomy.
- If the C 120 is fitted with ReWater technology, this means it has a filtering system for re-using the scrubbing solution yet still maintaining excellent cleaning results. It's the perfect solution for large logistics or production areas as it saves on water, detergent, pit-stop time, and therefore costs.
- In the event of short stops, the Stop&Go technology puts solution delivery on hold and stops the brushes, so the brush head rises automatically. So that consumptions are optimized and waste reduced.
- The Comac Dosing System adapts the amount of solution to the specific dirt, to reduce the flow and minimise waste while improving the cleaning results.
- Constant Solution Flow technology ensures the even distribution of the solution across all the C120 brushes, thereby reducing waste and boosting the effectiveness of the cleaning action.



Designed to **perform**, but without waste

- The self-levelling side splash guards keep the water within the working width, while the V-shape of the squeegee allows it to be directed to the centre to facilitate vacuum, achieving a uniform cleaning result.
- The castor wheels enable the squeegee to follow all the movements of the scrubbing machine.
- The Bright configuration can be enhanced with Intelligent Pressure Monitoring a sensor that controls the position of the brush head to constantly and accurately measure the pressure exerted on the brushes, thereby helping the operator to deal with even the most stubborn dirt.
- The solution level sensor in the Bright configuration constantly updates the operator on the solution level in the tank.
- C 120 Bi-Fuel operates with a dual supply of petrol and LPG, extending autonomy while minimizing environmental impact. The flexibility to choose when to use LPG for fueling the engine allows for a reduction in CO2 emissions, promoting cleaner combustion without the release of sulphur, lead and benzene.



Connected at the maximum levels

Comac Fleet Care is the tool that enables the optimal management of Comac machine fleets. Thanks to digitalisation, it is possible to communicate with the C120, collect data and transform this into meaningful, useful information for the management of cleaning operations. With CFC, you can control a single machine or the whole fleet anywhere and at any time. This allows you to save money, improve safety, boost performance and monitor consumption



Job analysis

personalised to meet your own needs: on the basis of the job, the place, a single machine or the whole fleet. This gives you a graphic visualisation of all the most important aspects of the cleaning tasks.



Telemetry

that allows you to view the machine status information in real time, so you can see if there are any issues. You can make a remote check on the condition of the components and the whole machine, to understand if its full potential is being used.



Two-way information flow

enabling you to receive information from the machine, but also to alter some of its parameters from a distance.



Highlighting of issues and knocks

so you can intervene quickly and identify any incorrect machine behaviour. In addition, with the data collection function you can see the machine status in the 30 seconds prior to the impact and the 10 seconds after it, giving you a better idea of the causes and extent of the fault.





Battery management

to maximise their lifespan. You can see the status of the batteries, how they're used and how they're recharged, so you can correct any incorrect aspects.



Tag management

so the machine can only be used by authorised personnel. You can also choose to limit the use of a certain tag on a certain machine, thus preventing if from being used by people without the right training.



Detailed reports that can be personalised

so you always have what you consider to be the most useful information ready to hand. You can download the report whenever you want, or opt to receive a personalised one directly in your email at regular intervals.



Analysis of the environmental impact

of each single cleaning job, thanks to the estimate calculated on each individual machine. The charts help you understand how much energy is consumed during each intervention and how much is needed to recharge the batteries. But also the amount of detergent solution used and the CO2 produced every day for each task. With this information, you can see the impact of the cleaning tasks and intervene to make them more sustainable.

From big ideas to small details

A wide choice of smart functions are at your disposal to maximise performance, simplify maintenance and enhance the pleasure of using the C120.



Spray Tool for spraying the solution on surfaces that cannot be reached with the scrubbing machine, and for cleaning the tanks in the most simple and effective way.



Suction Tool for cleaning even the areas hardest to reach, with the aid of the vacuum wand.



Wide opening of the tanks so they can be better cleaned and sanitised inside, to prevent dirt from settling and producing bad odours.



Basket filter to catch any debris, preventing it from settling on the bottom of the recovery tank.



Possibility to install the overhead guard to protect the operator.



Fast Filling System for quickly filling the clean water tank, even when the operator is not present.



New stainless steel fixing system on the squeegee, allowing the rubber blades and splash guards to be replaced without the need for tools



Parts which require daily maintenance are distinguished by their yellow colour, making them easy to identify.



The brush head can be extracted on the left-hand side to facilitate the inspection and replacement of the central disc brush.



The brushes and the coupling system have been designed to greatly facilitate the hooking and unhooking operation.

STANDARD EQUIPMENT	C120 B Essential	C120 B Bright	C120 B Bright Full	C120 Bi-Fuel Essential
Comfort				
Hour meter	•	•	•	•
Touch screen display	-	•	•	-
On board video tutorials	-	•	•	
Brush uncoupling knob	•	•	•	•
Eco Mode and Plus Mode	-	•	•	-
3-level speed adjustment	•	•	•	•
Squeegee rubber blades and splashguard in 40Sh, usable on the 4 sides	•	•	•	•
Maintenance elements identifiable by their yellow colour	•	•	•	•
Indicator light for solution tank in reserve	•	•	•	•
Highly comfortable, adjustable seat with armrests and headrest	•	•	•	•
Decentralised driving position	•	•	•	•
PM (Pressure Monitoring)	•	•	•	•
Continuous solution level sensor	-	Standard	Standard	
Safety				
Emergency stop	•	•	•	•
Automatic parking brake with assisted start on upward sloping ground	•	•	•	•
Hydraulic working brake	•	•	•	•
Bumpers in R.I.M. polyurethane	•	•	•	•
Anti-skid wheels	•	•	•	•
Dead man's switch	•	•	•	•
Control system for speed and stability on bends	•	•	•	•
Reversing buzzer	•	•	•	•
Horn	•	•	•	•
LED headlights with 2 levels of intensity	•	•	•	•
LED rear lights plus stop light	•	•	•	•
Stop&Go	•	•	•	•

OPTIONAL	C120 B Essential	C120 B Bright	C120 B Bright Full	C120 Bi-Fuel Essential
CDS (Comac Dosing System)	• With button	• Touch screen	• Touch screen	• With button
CFC (Comac Fleet Care)	•	•	•	•
ST (Spray Tool)	• With button	• Touch screen	Standard Touch screen	• With button
ST (Suction Tool)	• With button	Touch screen	Standard Touch screen	• With button
IPM (Intelligent Pressure Monitoring)	-	•	Standard	-
Brush head with right-hand movement	• With button	Standard Touch screen	Standard Touch screen	• With button
Rear view camera	-	•	Standard	-
Anti-collision sensors	•	•	Standard	•
Courtesy lights pack	•	•	Standard	•
ReWater	•	-	-	•
Blue Safety Spotlight	•	•	•	•

ACCESSORIES	C120 B Essential	C120 B Bright	C120 B Bright Full	C120 Bi-Fuel Essential
Quick-refill device for water	•	•	Standard	•
Seat belts	•	•	Standard	•
Overhead guard	•	•	•	•
Front bumper kit in steel	•	•	•	•
Rear bumper kit in steel	•	•	•	•

ECHNICAL DESCRIPTION		C120 B	C120 Bi-Fuel
olution tank	I	320	320
ecovery tank	1	320	320
etergent tank capacity (CDS versions)		24	16
Vorking width (scrubbing brush head)	mm	1230	1230
Vorking width (sweeping brush head)	mm	1430	1430
queegee width	mm	1295	1295
rying width	mm	1350	1350
iteral movement of scrubbing brush head	mm	75	<i>7</i> 5
neoretical productivity up to	sq.m./h	14300	14300
stimated productivity up to	sq.m./h	11011	10010
utonomy	h	6	
ound pressure level (ISO 11201)	dB (A)	< 70	87
isc brush	(no.) mm	(3) 430	(3) 430
ylindrical brushes	(no.) mm	(2) 160x898	(2) 160×898
rush pressure up to	kg	150	150
crubbing brush head motor	(no.) V/W	(3) 36/750 AC	(3) 36/750 AC
rush rotations on scrubbing brush head	rpm	180	180
weeping brush head motor	(no.) V/W	(2) 36/350 AC	(2) 36/350 AC
rush rotations on sweeping brush head	rpm	650	650
uction motor	(no.) V/W	(2) 36/650	(2) 36/650
action	-	front, automatic (electric brake)	front, automatic (electric brake)
action motor	V/W	36/2000 AC	36/2000 AC
orward speed	km/h	O÷10	O÷10
Vorking speed	km/h	0÷7.7	0÷7
radeability	%	12.5	11
radeability for transportation	%	20	20
upply	-	(Battery) Box-36/640	(Petrol + LPG) Honda GX630R
atteries weight	kg	637	13
Nachine weight	kg	818	923
fachine dimensions (l x w x h)	mm	2420×1310×1830	2420x1310x1830









