



# EM 1500



## CM1500 V: the high speed single disc machine suitable for restoration and dry polishing work

CM1500 V is the high speed single disc machine from Comac that's suitable for restoration and dry polishing work. Extremely easy to handle, it is supplied with a vacuum mechanism for collecting dust in the dedicated container compartment.

Equipped with an exceptional balancing system and gas spring on the handle, the CM1500 V is extremely pleasant to use, with no user-fatigue.

The CM1500 V high speed professional single disc machine from Comac is the ideal solution for service and cleaning contractors operating in hotels, convention centers and for use in the HoReCa, health, public, automotive, retail and large-scale retailing sectors.



**CM1500 V**  
Working width: 500 mm  
Power supply: cable  
Drive: direct

# Key elements and best technologies placed at the service of CM 1500 V single disc machine, to guarantee optimal performance:

## THE ADVANTAGES OF CM1500 V

- High speed single disc machine recommended for restoration and dry polishing work
- Exceptional balancing system that makes it use extremely pleasant, with no operator fatigue. It also prevents the operator from burning and/or damaging the surface being treated, ensuring results with excellent shine.
- The brush conveys the dirt collected by the vacuum system into a collection bag, preventing the dust produced from being dispersed into the environment. The bag is easy to remove and replace.
- The direct drive requires no maintenance, allowing significant economic savings over time.
- Extremely quiet operation, so it can also be used in environments where discretion and silence are necessary.
- The single disc machine is easy to move thanks to the special transportation wheels.

## GAS SPRING

Extremely easy to handle thanks to the gas spring on the handle.



## STOP&GO

The system for making cleaning operations more economical, optimizing consumption and reducing emissions.

When the machine is temporarily idle, the solution flow is interrupted. In this way consumptions are optimized and wastes reduced.

## Kit and accessories available for CM1500 V



Pad holder

•



Extension cord with EU plug

◇



Paper filter bag

◇

### Legend

- standard
- ◇ optional

Wide range of accessories available upon request.

TECHNICAL DATA		CM1500 V
Drive	-	Direct Drive
Working width	mm	500
Pad	mm	Ø 500
Brush rotations	rpm	1500
Power supply	V/Hz	230/50*
Max. power	W-Hp	1100
Net weight	Kg	35
Machine dimensions (Lxhxw)	mm	610x1260x540
Sound pressure level	dB	<70

\* other voltages available on request



Cleaning contractors



Health



Public



HoReCa



Automotive



Retail



Large-Scale Retailing



Transport



COMAC S.p.A. Via Maestri del Lavoro, 13 - 37059 Santa Maria di Zevio - Verona - ITALY  
Tel. 045 8774222 - www.comac.it - com@comac.it

Comac S.p.A. org. cert. ISO 9001, ISO 14001, ISO 45001, SA 8000, ISO 14064-1

