



L20



L20: effort-free cleaning

L20 is the easy but reliable walk-behind floor scrubber that allows increased productivity and reduced cleaning costs. Characterized by compact dimensions, it's the ideal model to achieve professional cleaning results and reduced costs of ownership in supermarkets, commercial areas in general, schools, gyms, warehouses, workshops and garages.

Designed to ensure the greatest reliability and user-friendliness in daily operations, L20 is suitable for maintenance cleaning on floors up to 1800 sq.m.

THE ADVANTAGES OF L20

- Intuitive driving and simple controls
- Compact dimensions for easy transport from one place to another
- Great productivity and reduction in costs of ownership
- Brush head made of aluminum to protect the scrubber dryer against corrosion
- Reinforced plastic squeegee for resistance to impact and corrosion
- Automatic squeegee uncoupling system to protect it against accidental impact
- Handy cleaning solution level indicator tube
- It's ready for use straight away in a few simple steps, making it suitable for even the least experienced operators
- Easy, quick maintenance at the end of a job
- Easy to move from one place to another thanks to the third rear wheel
- Stop&Go: when the machine is temporarily idle, the solution flow is interrupted and the brushes are halted so as to optimize consumption and reduce waste



L20 B
Battery version with disc brush

L20 E
Cable version with disc brush

Easy to use, transport and sanitise



L20 is fitted with a squeegee in a reinforced plastic material that is corrosion resistant. The automatic uncoupling system protects the squeegee when accidentally impacted.



SOLENOID VALVE (standard)

The solenoid valve automatically stops the flow of water when the machine is not working or is stopped by the operator.

BATTERY VERSION



L20 B can work for up to 1 hour over a surface of 2000 sq.m. with a single tank of detergent solution. Up to 2 hours autonomy with a single energy charge.

On request, the L20 B can be fitted with on board battery charger, so that recharging operations are quick and simple to perform.



Brush head and washing head are made out of die-cast aluminum that makes them robust and efficient over time.

STANDARD EQUIPMENTS	L20 B	L20 E
Comfort		
Hour meter	•	•
Ergonomic squeegee handle	•	•
Squeegee rubber blades usable on 4 sides	•	•
Color-coded parts for easy maintenance	•	•
Transparent filling hose with drop-stop	•	•
Water level indicator	•	•
Safety		
Antiskid wheels	•	•
Stop&Go	•	•

OPTIONAL	L20 B	L20 E
CB (On-board Battery Charger)	•	-

TECHNICAL DATA		L20 B	L20 E
Theoretical productivity	up to m ² /h	1450	1450
Scrubbing width	mm	508	508
Brushes	n.	1	1
Brushes	type	Disc	Disc
Brushes	Ø (mm)	508	508
Pressure on the brush (min - max)	kg	27,5	27,5
Solution tank	l	40	40
Recovery tank	l	40	40
Supply/traction	V	24/semi aut	230/110/semi aut
Autonomy up to	h	3	-
Machine dimensions (l x h x w)	mm	1165x995x541	1125x995x525
Squeegee width	mm	680	680
GVW (Gross Vehicle Weight)	kg	152	98
Sound pressure level (ISO 11201)	dB (A)	63,5	68,8



COMAC S.p.A. Via Maestri del Lavoro, 13 - 37059 Santa Maria di Zevio - Verona - ITALY
Tel. 045 8774222 - www.comac.it - com@comac.it

Comac S.p.A. org. cert. ISO 9001, ISO 14001, ISO 45001, SA 8000, ISO 14064-1

