EN

omnia



comac

professional people

Omnia: the powerful, robust floor scrubber that can endure long cleaning sessions and heavy-duty applications

Suitable for maintenance and deep cleaning of medium to large-sized industrial areas. The Omnia floor scrubber is the walk-behind model with automatic drive.
Available with a working width of 83 cm, it offers the right solution for different cleaning requirements. Omnia is highly versatile thanks to its wide range of accessories, including PPL or Tynex brushes with different bristle sizes and squeegee blades available in different hardness levels.

The strong mechanical structure and the high performance of its 36-Volt components can endure long cleaning sessions and work on demanding surfaces, as in industrial structures, workshops, logistics warehouses and production facilities. Suitable for maintenance and heavy duty cleaning of medium and large surfaces up to 6500 sq.m.

THE ADVANTAGES OF OMNIA

- Intuitive driving and ease of use thanks to the instrument panel which, through switches and warning lamps, gives clear and comprehensive information on the machine status
- The automatic version allows the electrical actuator that lifts up and lowers the brush head and squeegee to be driven easily
- Full accessibility to components for easier maintenance
- Access to the batteries for all checks is made easier by simply rotating the detergent solution tank on the hinge
- Powerful brush and vacuum motors for improved drying
- Brush head designed for heavy-duty tasks, with long-lasting oil-bath gearboxes
- Solution and recovery tanks made of rotational molding polyethylene to make them sturdy and resistant to impact and corrosion
- Anti-skid, non-marking wheels in order to leave no trace on the surface after the passage of the machine and for perfect traction even on a wet floor
- Oscillating squeegee unit to follow the machine movements in every situation for perfect drying
- Squeegee adjustment without any tool, possibility of varying both support wheel height and squeegee tilt

Stop & Go



Omnia 32 BT
Scrubbing version
with disc brushes
Working width: 830 mm


Details for a robust and reliable design to clean with ease



On the machine rear are the controls for lifting and adjusting the scrubbing head as well as the levers for service and parking brakes. There are also two drain plugs on the recovery tank, one being larger for easier internal cleaning.



Easy-to-read and user-friendly instrument panel and ergonomic grip for better machine manoeuvrability.




High brush pressure for excellent cleaning results

Convenient and quick daily maintenance helps to keep cleaning performance constant



The battery compartment is positioned at the centre of the machine and it is integrated in the tank's volume. All around the batteries, the plastic materials are resistant to oxidising vapours so that any ugly and harmful rust formation is prevented.



The squeegee assembly can oscillate to follow every movement of the machine so that perfect drying is ensured. Squeegee adjustment does not require any special tool and can be performed by the operator him/herself.





The solution and recovery tanks, in rotational polyethylene, are very strong and are both shock and rust resistant. The solution tank is positioned in the upper part of the machine so that effective and constant water flow onto the brushes is ensured.
It is filled through a large opening and has a capacity of 105 litres.

TECHNICAL DESCRIPTION		Omnia 32 BT
Solution tank	l	105
Recovery tank	l	115
Working width	mm	830
Squeegee width	mm	1115
Working capacity up to	sq.m/h	3320
Disc brush	(n.) mm	(2) 430
Brush pressure	Kg	80
Brush motor	V/W	36/1250
Brush revolution/orbital	rpm	210
Vacuum motor	V/W	36/670
Suction vacuum	mbar	190
Traction	-	aut.
Traction motor	V/W	36/450
Forward speed	Km/h	0÷4
Max gradient at full load	%	10
Batteries (n.)	V/Ah C5	36/270
Batteries weight	Kg	315
Machine dimensions (Lxhxw)	mm	1650x1120x850
Machine weight (without batteries)	Kg	240
Sound pressure level (ISO 11201)	dB (A)	<70

Industrial | Cleaning companies | Large-Scale Retail Trade | Automotive | Transport | Logistic

professional people

COMAC S.p.A. Via Maestri del Lavoro, 13 - 37059 Santa Maria di Zevio - Verona - ITALY
Tel. 045 8774222 - www.comac.it - com@comac.it

Comac S.p.A. org. cert. ISO 9001, ISO 14001, ISO 45001, SA 8000, ISO 14064-1

COMAC Spa reserves the right, at anytime, to make technical and/or equipment modifications without prior notification. The images are shown as reference only and are not binding as to the actual design and/or equipment. - COD. 300069 - AE - 10/26 - Copyright © COMAC 2026